


TAVOLE ILLUSTRATIVE**ELENCO SCHEMI**

Numero schema	Argomento	Art.	Punto art.
1	Confine stradale		
2	Dimensioni accesso <u>fuori</u> centro abitato		
3	Dimensioni accesso <u>fuori</u> centro abitato, a confine		


SCHEMA 1

Confine stradale --


Confine stradale con fosso o cunetta



Confine stradale con scarpata a monte



Confine stradale con scarpata a valle




Confine stradale con gabbionata o muro di sostegno




SCHEMA 1

Confine stradale –



SCHEMA 2

DIMENSIONI accesso FUORI Centro Abitato



A = apertura del cancello: misura soggetta a tassazione;

B = profondità del cancello dal bordo stradale;

C = larghezza ingresso misurata sul bordo stradale (svaso);

Civ. : accesso tipo civile;


Ind. : accesso tipo industriale.

Misure minime – m:

	S.P. tipo C		S.P. tipo F	
	1° Categ.		2° Categ.	
	Civ.	Ind.	Civ.	Ind.
A	4,0	6,0	4,0	6,0
B	8,0	15,0	6,0	12,0
C	15,0	25,0	12,0	25,0

SCHEMA 3

DIMENSIONI accesso FUORI Centro Abitato, a confine –



A = apertura del cancello: misura soggetta a tassazione;

B = profondità del cancello dal bordo stradale;

C = larghezza ingresso misurata sul bordo stradale.

Civ. : accesso tipo civile;

Ind. : accesso tipo industriale.

Misure minime – m:

	S.P. tipo C		S.P. tipo F	
	1° Categ.		2° Categ.	
	Civ.	Ind.	Civ.	Ind.
A	4,0	6,0	4,0	6,0
B	8,0	15,0	6,0	12,0
C	10,0	15,0	8,0	12,0